



METAL FX - 3 GAL DOSAGE BURGUNDY METAL FX - 3 GAL DOSAGE BURGUNDY

Version 3.1
REVISION DATE: 09/24/2013

Print Date 06/02/2015

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : METAL FX - 3 GAL DOSAGE BURGUNDY METAL FX - 3 GAL DOSAGE BURGUNDY
 Product code : CMFX G003 115
 COMPANY : Increte Systems - A Division of The Euclid Chemical Company
 1611 Gunn Highway
 Odessa, FL 33556
 Telephone : 1-800-752-4626
 Emergency Phone: : U.S. only: 1-800-424-9300
 International Users Call Collect: 1-703-527-3887

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Violet. Powder. May cause coughing and wheezing. Dust may irritate respiratory tract. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation : May cause coughing and wheezing. Dust may irritate respiratory tract.
 Eyes : Dust may cause eye irritation. May cause mechanical irritation or abrasion. Direct contact may cause temporary redness and discomfort.
 Ingestion : May cause gastrointestinal irritation, nausea, and vomiting.
 Skin : May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Prolonged inhalation of mica airborne dust can produce scar tissue in the lungs. Mica is a filler that is encapsulated by resin and is not expected to have adverse effects unless made airborne.

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
Mica	12001-26-2	> 60.0
Iron oxide	1309-37-1	30.0 - 60.0

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.



METAL FX - 3 GAL DOSAGE BURGUNDY METAL FX - 3 GAL DOSAGE BURGUNDY

Version 3.1

Print Date 06/02/2015

REVISION DATE: 09/24/2013

- Protective measures : Use professional judgment in the selection, care, and use.
- Engineering measures : Use only in well ventilated areas. Provide maximum ventilation in enclosed areas. Use local exhaust when the general ventilation is inadequate.

Exposure Limits

Chemical Name	CAS Number	Regulation	Limit	Form
Mica	12001-26-2	ACGIH TWA:	3 mg/m3	Respirable fraction.
Iron oxide	1309-37-1	OSHA PEL: OSHA TWA: OSHA TWA: ACGIH TWA: ACGIH TWA:	10 mg/m3 15 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3	Fume. Total dust. Respirable fraction. Respirable fraction. Respirable fraction.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

- Form : Powder
- Color : Violet
- Odor : None
- pH : Not available.
- Vapour pressure : Not available.
- Vapor density : Not available.
- Melting point/range : Not available.
- Freezing point : Not available.
- Boiling point/range : Not available.
- Water solubility : Not available.
- Specific Gravity : 3.1
- % Volatile Weight : 0.0 %

SECTION 10 - REACTIVITY / STABILITY

- Substances to avoid : Not Applicable.
- Stability : Material is stable under normal storage, handling, and use.
- Hazardous polymerization : Will not occur under normal conditions.

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available



METAL FX - 3 GAL DOSAGE BURGUNDY METAL FX - 3 GAL DOSAGE BURGUNDY

Version 3.1

Print Date 06/02/2015

REVISION DATE: 09/24/2013

Regulatory VOC (less water and exempt solvent) : 0 g/l
 VOC Method 310 : 0 %

U.S. State Regulations:

MASS RTK Components : Mica 12001-26-2
 Iron oxide 1309-37-1

Penn RTK Components : Mica 12001-26-2
 Iron oxide 1309-37-1

NJ RTK Components : Mica 12001-26-2
 Iron oxide 1309-37-1

Components under California Proposition 65:
 None known.

SECTION 16 - OTHER INFORMATION

HMS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum
 1 = Slight
 2 = Moderate
 3 = Serious
 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists
 CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
 DOT - Department of Transportation
 DSL - Domestic Substance List
 EPA - Environmental Protection Agency
 HMIS - Hazardous Materials Information System
 IARC - International Agency for Research on Cancer
 MSHA - Mine Safety Health Administration
 NDSL - Non-Domestic Substance List
 NIOSH - National Institute for Occupational Safety and Health
 NTP - National Toxicology Program
 OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit
 RCRA - Resource Conservation and Recovery Act
 RTK - Right To Know
 SARA - Superfund Amendments and Reauthorization Act
 STEL - Short Term Exposure Limit
 TLV - Threshold Limit Value
 TSCA - Toxic Substances Control Act
 TWA - Time Weighted Average
 V - Volume
 VOC - Volatile Organic Compound
 WHMIS - Workplace Hazardous Materials Information System