

Revision Date: 06/02/2016

# SAFETY DATA SHEET

# 1. Identification

Material name: UNI-STRIPP - 5 GL

Material: CUNS G005 000

Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110

US

Contact person:EH&S DepartmentTelephone:216-531-9222

**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

### **Hazard Classification**

# **Physical Hazards**

Flammable liquids Category 3

#### **Health Hazards**

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2A
Skin sensitizer Category 1
Toxic to reproduction Category 1B

### **Unknown toxicity - Health**

Acute toxicity, oral 0.98 %
Acute toxicity, dermal 0.98 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust or mist 38.31 %

### **Environmental Hazards**

Acute hazards to the aquatic Category 2

environment

### **Unknown toxicity - Environment**

Acute hazards to the aquatic 76.07 %

environment

Chronic hazards to the aquatic 100 %

environment

# **Label Elements**

# **Hazard Symbol:**



Revision Date: 06/02/2016



Signal Word: Danger

**Hazard Statement:** Flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Toxic to aquatic life.

Precautionary Statement: Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take

precautionary measures against static discharge. Wear protective

gloves/protective clothing/eye protection/face protection. Wash thoroughly

after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective

equipment as required. Avoid release to the environment.

**Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). Wash contaminated

clothing before reuse. In case of fire: Use ... to extinguish.

Storage: Store in well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
d-Limonene	5989-27-5	15 - 40%



Revision Date: 06/02/2016

1-Methyl-2-pyrrolidinone	872-50-4	15 - 40%
Dimethyl succinate	106-65-0	10 - 30%
Dimethyl adipate	627-93-0	7 - 13%
Amorphous silica	7631-86-9	3 - 7%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

Ingestion: Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Take off immediately all contaminated clothing. Get medical attention.

Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical

attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

**Symptoms:** Respiratory tract irritation. Prolonged or repeated contact with skin may

cause redness, itching, irritation and eczema/chapping.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

# 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Water may be

ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

# Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of

vapors or gases to explosive concentrations.

### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.



Revision Date: 06/02/2016

Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** 

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Store in a cool place. Store locked up.

### 8. Exposure controls/personal protection

### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	type	Exposure Limit Values	Source
Amorphous silica	TWA	20 millions	US. OSHA Table Z-3 (29 CFR
		of particles	1910.1000) (2000)
		per cubic	
		foot of air	
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR
			1910.1000) (2000)



Revision Date: 06/02/2016

Chemical name	type	Exposure Limit Values	Source
1-Methyl-2- pyrrolidinone	TWAEV	400 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Amorphous silica - Total	TWA	4 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Amorphous silica - Respirable.	TWA	1.5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Amorphous silica	TWAEV	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Amorphous silica - Respirable dust.	TWA	6 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

# Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

# Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level. Use explosion-proof ventilation equipment.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

**Other:** Wear suitable protective clothing. Wear chemical-resistant gloves,

footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific

information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.



Revision Date: 06/02/2016

**Hygiene measures:** Observe good industrial hygiene practices. Avoid contact with eyes. When

using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated

work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Colorless

Odor: Mild petroleum/solvent
Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: 47 °C 117 °F(Tag closed cup)

**Evaporation rate:** Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.0432

Solubility(ies)

Solubility in water: Practically Insoluble
Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity: No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.



Revision Date: 06/02/2016

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides

and chromates). Strong bases.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.

**In high concentrations**, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** May be harmful in contact with skin. Causes skin irritation. May cause an

allergic skin reaction.

**Eye contact:** Causes serious eye irritation.

# Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 10,179.87 mg/kg

**Dermal** 

**Product:** ATEmix: 3,371.31 mg/kg

Inhalation

**Product:** No data available.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

d-Limonene in vivo (Rabbit): Experimental result, Key study

1-Methyl-2pyrrolidinone in vivo (Rabbit): Experimental result, Key study



Revision Date: 06/02/2016

Dimethyl succinate in vivo (Rabbit): Experimental result, Key study

Dimethyl adipate in vivo (Rabbit): Read-across based on grouping of substances (category

approach), Supporting study

Amorphous silica in vivo (Rabbit): Experimental result, Key study

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

d-Limonene in vivo (Rabbit, 24 - 72 hrs): Not irritating

1-Methyl-2- Severely Irritating

pyrrolidinone

Dimethyl succinate in vivo (Rabbit, 24 - 72 hrs): Irritating

Dimethyl adipate in vivo (Rabbit, 1 hrs): Not irritating

Amorphous silica in vivo (Rabbit, 24 hrs): Not irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** May damage fertility or the unborn child.



Revision Date: 06/02/2016

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

d-Limonene LC 50 (Fathead minnow (Pimephales promelas), 96 h): 0.619 - 0.796 mg/l

Mortality

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

d-Limonene EC 50 (Water flea (Daphnia pulex), 48 h): 69.6 mg/l Intoxication

### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

# Persistence and Degradability

Biodegradation

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.



Revision Date: 06/02/2016

### **Bioaccumulative Potential**

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

d-Limonene Log Kow: 4.232

1-Methyl-2-pyrrolidinone Log Kow: -0.54

Dimethyl succinate Log Kow: 0.35

Dimethyl adipate Log Kow: 1.03

Mobility in Soil: No data available.

Other Adverse Effects: Toxic to aquatic organisms.

### 13. Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

# 14. Transport information

#### TDG:

Not Regulated

# CFR / DOT:

Not Regulated

### IMDG:

UN1993, FLAMMABLE LIQUID, N.O.S. (d-Limonene), 3, PG III

# **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

# 15. Regulatory information



Revision Date: 06/02/2016

### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### **Hazard categories**

Fire Hazard
Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard

### **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

# **SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
d-Limonene	500 lbs
1-Methyl-2-pyrrolidinone	500 lbs
Dimethyl succinate	500 lbs
Dimethyl adipate	500 lbs
Amorphous silica	500 lbs

### SARA 313 (TRI Reporting)

### **Chemical Identity**

1-Methyl-2-pyrrolidinone

### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

### **US State Regulations**

### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

# US. New Jersey Worker and Community Right-to-Know Act

# **Chemical Identity**

d-Limonene

1-Methyl-2-pyrrolidinone

Amorphous silica



Revision Date: 06/02/2016

### **US. Massachusetts RTK - Substance List**

### **Chemical Identity**

1-Methyl-2-pyrrolidinone Amorphous silica

# US. Pennsylvania RTK - Hazardous Substances

### **Chemical Identity**

1-Methyl-2-pyrrolidinone Amorphous silica

### **US. Rhode Island RTK**

### **Chemical Identity**

1-Methyl-2-pyrrolidinone

### Other Regulations:

Regulatory VOC (less water 499 g/l

and exempt solvent):

**VOC Method 310:** 47.81 %

**Inventory Status:** 

Australia AICS: One or more components in this product are

not listed on or exempt from the Inventory.

Canada DSL Inventory List:

One or more components in this product are

not listed on or exempt from the Inventory.

EINECS, ELINCS or NLP: One or more components in this product are

not listed on or exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

All components in this product are listed on or

exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this product are

not listed on or exempt from the Inventory.

Canada NDSL Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: One or more components in this product are

not listed on or exempt from the Inventory.

US TSCA Inventory: One or more components in this product are

not listed on or exempt from the Inventory.

New Zealand Inventory of Chemicals:

All components in this product are listed on or



Revision Date: 06/02/2016

exempt from the Inventory.

Japan ISHL Listing: One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

# 16.Other information, including date of preparation or last revision

**Revision Date:** 06/02/2016

Version #: 2.0

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.